

Δ6 - J. GALLOWAY¹³ MFA THESIS

Hamada Green

Custer Feldspar	53
Whiting	9
Zinc Oxide	9
Barium Carbonate	21
Ball Clay	2
Gerstley Borate	15
Rutile	2
Copper Oxide	3
Red Iron Oxide	2.5

Wo Base

Kona F-4 Feldspar	33
Barium Carbonate	24
Dolomite	17
EPK Kaolin	7
Flint	7
Zircopax	15
Gerstley Borate	15

Kris Green/Blue

Barium Carbonate	25
Wollastonite	15
Nepheline Syenite	25
Kona F-4 Feldspar	15
Blackbird Clay	7
Flint	5
Copper Carbonate	4

Fake Ash Base

OM4 Ball Clay	30
Whiting	33
Barium Carbonate	14
Dolomite	14
Flint	10

Randys Green

Flint	38.4
Ball Clay	24
Whiting	21
Opax	18
Dolomite	14.6
Barium Carbonate	30
Custer Feldspar	50
Kona F-4 Feldspar	4.2
Gerstley Borate	20

Alec Base

Kona F-4	11
Nepheline Syenite	21
Gerstley Borate	10
Whiting	4
Wollastonite	8
Barium Carbonate	12
EPK Kaolin	10
Flint	35

Manganese Luster Glaze

Redart	60
Manganese Diox.	45
OM4 Ball Clay	5
Flint	5
Cobalt Oxide	10
Copper Carbonate	10

Barium Matt Base

Nepheline Syenite	60
Barium Carbonate	24
Lithium Carb.	5
Grolleg Kaolin	6
Flint	7

Red to Green

Fritt 3124	25
Gerstley Borate	15
Nephline Syenite	20
EPK Kaolin	15
Flint	15
Whiting	5
Zinc Oxide	5
Copper Oxide	2-6

Annettes Base

Kona F-4 Feldspar	53.3
Barium Carbonate	21.5
Whiting	9.2
Ball Clay	10.2
Zinc Oxide	5.6
Titanium Dioxide	6-10
Gerstley Borate	20

Iron Saturate

Custer Feldspar	43
Whiting	18
EPK Kaolin	10
Flint	12

Ellens Halloween

Custer Feldspar	53
Whiting	22
Barium Carbonate	16
EPK Kaolin	9
Ocher Oxide	5
Rutile	2

I also refired work to c04 in the electric kiln:

c04 Water Blue Base

Fritt 3110	76.3
Gerstley Borate	5.7
EPK Kaolin	7.1
Flint	10

c04 Jackies Matt Base

Gerstley Borate	35
Nephline Syenite	5
EPK Kaolin	5
Flint	42
Lithium Carbonate	8
Tin Oxide	5

c04 Aventurine

Fritt 5301	100
Red Iron Oxide	15

I have been collecting these glazes for a long time and I would like to acknowledge the following for their generosity: Val Cushing, Alec Karros, Peter Beaseacker, Lisa Stinson, Annette Siffin, Louanne Morse and Kevin Konnelly.